Lovibond® Water Testing

Tintometer® Group



phone: +49 (0) 231 945100

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2016 Version number 5 Revision: 10.06.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Alka-M-Photometer
- · Catalog number: 00513211, 513210BT, 513211BT, 4513210BT, 4513211BT, 5132100BT, 00513219BT
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Tintometer GmbH Schleefstr. 8-12 DE-44287 Dortmund Made in Germany www.lovibond.com

Germany E-Mail: sales@tintometer.de

Informing department:

e-mail: produktsicherheit@tintometer.de

Product Safety Department

Contact for technical details:

Technical Department

e-mail: technik@tintometer.de

· 1.4 Emergency telephone number:

Poison Center Berlin, Germany phone: 0049-30 30686 790 Languages: English and German

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

EUH210 Safety data sheet available on request.

- · 2.3 Other hazards No further relevant information available.
- Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Preparation contains organic compounds.

· Dangerous components:			
CAS: 124-04-9 EINECS: 204-673-3 Index No: 607-144-00-9	adipic acid	(1) Eye Irrit. 2, H319 2.5	5-5%
Reg.nr.: 01-2116457561-38-XXXX			

(Contd. on page 2)

Printing date 10.06.2016 Version number 5 Revision: 10.06.2016

Product name: Alka-M-Photometer

(Contd. of page 1)

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for several minutes under running water (at least 15 min). If symptoms persist, consult doctor.

After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed:

irritations

after swallowing of large amounts:

thirst

gastric or intestinal trouble

• 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents Water, Carbon dioxide (CO₂), Foam, Fire-extinguishing powder
- 5.2 Special hazards arising from the substance or mixture

combustible

Formation of toxic gases is possible during heating or in case of fire.

nitrous gases

Sulphur oxides (SOx)

nitrogen oxides (NOx)

carbon monoxide (CO) and carbon dioxide (CO₂)

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel: Wear protective equipment. Keep unprotected persons away.
- · Advice for emergency responders: Protective equipment: see section 8
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
- · Advice on safe handling: No special precautions necessary if used correctly.
- · Hygiene measures:

The usual precautionary measures should be adhered to general rules for handling chemicals.

(Contd. on page 3)

Printing date 10.06.2016 Version number 5 Revision: 10.06.2016

Product name: Alka-M-Photometer

(Contd. of page 2)

Wash hands during breaks and at the end of the work. Do not eat, drink or smoke when using this product.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility: Not required.
- Storage class 11
- Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from the effects of light.

Store under dry conditions.

Protect from humidity and keep away from water.

- · Recommended storage temperature: 20 °C +/- 5 °C
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNFLs

Derived No Effect Level (DNEL)

CAS: 124-04-9 adipic acid		
Oral	DNEL	19 mg/kg (Consumer / acute / systemic effects)
		19 mg/kg (Consumer / long-term / systemic effects)
Dermal	DNEL	38 mg/kg (Worker / acute / systemic effects)
		38 mg/kg (Worker / long-term /systemic effects)
		19 mg/kg (Consumer / acute / systemic effects)
		19 mg/kg (Consumer / long-term / systemic effects)
Inhalative	DNEL	5 mg/m³ (Worker / acute / local effects)
		264 mg/m³ (Worker / acute / systemic effects)
		5 mg/m³ (Worker / long-term / local effects)
		264 mg/m³ (Worker / long-term /systemic effects)
		65 mg/m³ (Consumer / acute / systemic effects)
		65 mg/m³ (Consumer / long-term / systemic effects)

· PNECs

Predicted No Effect Concentration (PNEC)

	Trodictor to Enoch Contonication (Trice)		
CAS: 1	CAS: 124-04-9 adipic acid		
PNEC	PNEC 59.1 mg/l (Sewage treatment plant)		
	0.0126 mg/l (Marine water)		
	0.46 mg/l (Aquatic intermittent release)		
	0.126 mg/l (Fresh water)		
PNEC	0.0228 mg/kg (Soil)		
	0.0484 mg/kg (Marine sediment)		
	0.484 mg/kg (Fresh water sediment)		

- · Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

- · Personal protective equipment
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- Recommended filter device for short term use: Filter P1
- · Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.

(Contd. on page 4)

Printing date 10.06.2016 Version number 5 Revision: 10.06.2016

Product name: Alka-M-Photometer

(Contd. of page 3)

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

nitrile rubber, NBR Recommended thickness of the material: > 0.11 mm

· Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses

use against the effects of fumes / dust

- · Body protection: Protective work clothing.
- · Limitation and supervision of exposure into the environment: Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

	1.1 Information on basic physical and chemical properties	
· Appearance: Form / Physical state: Colour:	Tablets Orange	
· Odour: · Odour threshold:	Odourless Not applicable	
· pH-value (8.8 g/l) at 20 °C:	3.5	
· Melting point/Freezing point: · Initial boiling point and boiling range	Not determined : Not determined	
· Flash point:	Not determined	
· Flammability (solid, gas):	Not determined.	
· Decomposition temperature:	Not applicable	
· Auto-ignition temperature:	Product is not self-igniting.	
· Explosive properties:	Product is not explosive. The following applies in general to flammable organic substances / preparations: Dust explosion possible if in powder or granular form (fine distribution), mixed with air.	
 Flammability or explosive limits: Lower: Upper: 	Not determined. Not determined.	
· Oxidising properties:	none	
· Vapour pressure: · Density: · Relative density: · Vapour density: · Evaporation rate:	Not applicable. Not determined Not determined. Not applicable. Not applicable.	
· Solubility(ies): Water:	Soluble	
· Partition coefficient (n-octanol/water)	Partition coefficient (n-octanol/water): Not applicable.	
· Viscosity:	Not applicable.	
Solvent content: Organic solvents: Solids content:	0.0 % 100.0 %	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity Dust can combine with air to form an explosive mixture.
- 10.2 Chemical stability Stable at ambient temperature (room temperature).

Printing date 10.06.2016 Version number 5 Revision: 10.06.2016

Product name: Alka-M-Photometer

(Contd. of page 4)

· 10.3 Possibility of hazardous reactions

Reacts with oxidizing agents

- --> forms heat
- · 10.4 Conditions to avoid To avoid thermal decomposition do not overheat.
- · 10.5 Incompatible materials: steel
- 10.6 Hazardous decomposition products: see section 5

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:			
CAS: 124	CAS: 124-04-9 adipic acid		
Oral	LD50	5700 mg/kg (rat) (MERCK)	
Dermal	LD50	> 7940 mg/kg (rabbit) (Registrant, ECHA: no deaths occurred)	
Inhalative		> 7.7 mg/l/4h (rat) (dust, aerosol) (Registrant, ECHA: no deaths occurred)	

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Information on components:

 CAS: 124-04-9 adipic acid

 Irritation of skin | OECD 404 | (rabbit: no irritation) |
 Irritation of eyes | OECD 405 | (rabbit: severe irritations)
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Information on components:

 CAS: 124-04-9 adipic acid

 Sensitisation OECD 406 (guinea pig: negative) (IUCLID)
 - · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) The following statements refer to the mixture:
 - · Germ cell mutagenicity Based on available data, the classification criteria are not met.
 - · Carcinogenicity Based on available data, the classification criteria are not met.
 - · Reproductive toxicity Based on available data, the classification criteria are not met.
 - · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
 - STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
 - Aspiration hazard Based on available data, the classification criteria are not met.

	The britation realizated based on available data, the statement official are not met.	
	· Information on components:	
ı	CAS: 124-04-9 adipic acid	
	OECD 471 (negative) (Bacterial Reverse Mutation Test - Ames test) (IUCLID)	
l	OECD 474 (negative) (Mammalian Erythrocyte Micronucleus Test)	

· Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

SECTION 12: Ecological information

· 12.1 Toxicity

12.1 TOXICITY	
· Aquatic toxicity:	
CAS: 124-04-9 adipic acid	
LC50 511 mg/l/48h (gold orfe)	

(Contd. on page 6)

Printing date 10.06.2016 Version number 5 Revision: 10.06.2016

Product name: Alka-M-Photometer

(Contd. of page 5)

EC50 86 mg/l/48h (Daphnia magna) (OECD 202)

IC50 31 mg/l/72h (Desmodesmus subspicatus)

(IUCLID)

LC50 97 mg/l/96h (fathhead minnow)

(ECOTOX)

· Bacterial toxicity:

CAS: 124-04-9 adipic acid

EC50 92 mg/l (Pseudomonas putida) (DIN 38412)

(IUCLID)

· 12.2 Persistence and degradability

CAS: 124-04-9 adipic acid

OECD 301 B 100% / 28d (.) (CO2 Evolution Test)

· 12.3 Bioaccumulative potential

CAS: 124-04-9 adipic acid

log Pow 0.081 (.) (25 °C, OECD 107)

- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

- 12.6 Other adverse effects Avoid transfer into the environment.
- · Water hazard:

Mixture (Self-assessment acc. VwVwS Annex 4, German regulation):

Water hazard class 2: hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

· European waste catalogue

16 05 09 discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR,RID, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR,RID, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR,RID, ADN, IMDG, IATA	
· Class	Void
· 14.4 Packing group	
· ADR,RID, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of	•
the IBC Code	Not applicable.

Printing date 10.06.2016 Version number 5 Revision: 10.06.2016

Product name: Alka-M-Photometer

(Contd. of page 6)

· Transport/Additional information:

Not dangerous according to the above specifications.

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Regulation (EC) No 689/2008 concerning the export and import of dangerous chemicals:

None of the ingredients is listed.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

- Directive 2012/18/EU (SEVESO III):
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Information about limitation of use: Not required.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H319 Causes serious eye irritation.

Training hints Provide adequate information, instruction and training for operators.

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure RE: repeated exposure

EC50: half maximal effective concentration

IC50: hallf maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of

Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

SVHC: Substances of Very High Concern

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Sources Data arise from safety data sheets, reference works and literature.